Chapter 41: Caring for Infants and Their Parents

Diapering the Baby						
	Na	Name:				
	Date:					
'						
Remember to promote:						
Dignity • Independence • Individualized Care • Preferences • Privacy • Safety						
Pre-Procedure	S	U	Comments			
1. Practise proper hand hygiene.						
2. Collect the following supplies:						
□ Clean diaper						
□ Waterproof changing pad						
□ Disposable or flushable wipes, or						
small facecloth						
□ Basin of warm water						
□ Baby soap						
□ Baby lotion or cream if necessary						
For safety reasons, babies should						
never be left unattended while on a						
diaper table or in a tub, even for a						
second.						
Procedure	S	U				
3. Unfasten the dirty diaper. Place diaper						
pins out of the reach of the baby or other						
children.						
4. Wipe the genital area with the front of						
the diaper, if the diaper is dry enough						
(FIGURE 41.14). Wipe from front to the						
back.						
5. Fold the diaper so that urine and stool						
are well inside. Set the diaper aside.						
6. Clean the genital area from front to						
back using a wet washcloth, disposable or						
flushable wipes, or small facecloth.						
7. Paying particular attention to the baby's						
skin folds, wash with mild soap and warm						
(not hot) water if there is a lot of stool or if						
the baby has a rash.						
8. Give cord care (page 995) and						
circumcision care (page 996).						

9. Apply cream or lotion to the genital area and buttocks if specified in the care plan.			
Do not use too much.			
10. Raise the baby's legs. Slide a clean			
diaper under the buttocks.			
11. For babies with male genitalia, fold a			
cloth diaper so that the extra thickness is			
in the front (FIGURE 41.15, A). For babies			
with female genitalia, fold the diaper so			
that the extra thickness is in the back (see			
FIGURE 41.15, <i>B</i>).			
12. Bring the diaper between the baby's			
legs.			
13. Make sure the diaper is snug around			
the hips and abdomen. It should be loose			
near the penis if the circumcision has not			
yet healed. The diaper should be below			
the cord stump.			
14. Secure the diaper in place.			
a. Use the tabs on disposable diapers			
(FIGURE 41.16, A), and make sure the			
tabs stick in place.			
b. Use diaper pins or Velcro strips for			
cloth diapers. Pins should point away			
from the abdomen (FIGURE 41.16, B).			
15. Apply plastic pants if cloth diapers are			
used. Do not use plastic pants with			
disposable diapers.			
16. Put the baby in the crib, infant seat, or			
other safe location.			
Post-Procedure	S	U	Comments
17. Rinse the stool from the cloth diaper in			
the toilet. Empty the stool from the			
disposable diaper into the toilet, if			
possible.			
18. Store used cloth diapers in a covered			
pail or plastic bag. Roll the disposable			
diaper into a ball, and secure it with its			
tabs. Put the disposable diaper in the			
garbage.			
19. Clean the changing area.			
20. Practise proper hand hygiene.			

Report and Record your actions and		
observations, according to employer		
policy.		